



Rose Mary Rahn
Director

Milton Teske, M.D.
Health Officer

To promote and protect the health and well-being of Kings County residents through education, prevention, and intervention.



UST ABANDONMENT APPLICATION

Application is for: Tank Removal Abandonment in Place

A fee of \$733.00 per facility is assessed and must accompany this application.

Facility Name		Facility Address	
Facility / Property Owner's Name		Facility Contact Phone	Owner's Contact Phone
UST Contractor's Name		Contractor's License No.	
UST Contractor's Phone		Business Address	
State Certified Lab:	Address	Phone	

Tank Information

<u>Tanks</u>	1.	2.	3.	4.	5.
Capacity (Gal.)					
Former Contents					

Piping Ex: Supply/Fill

Check Applicable Boxes

Pressurized					
Suction					
Gravity					

****If additional room is necessary please attach an extra sheet with the question number provided.***

1. For tanks that contain a flammable liquid, will the tanks be inerted(i.e. dry ice) or purged(i.e. CO₂ or nitrogen gas)?

2. UST's require triple rinsing and inerting prior to tank pit removal and transportation. Both the oxygen level and lower explosion limits of each tank must be checked prior to removal/abandonment. *It shall be noted that removed UST's cannot be utilized for future aboveground use and must be recycled or transported as hazardous waste if not cleaned as described.*

3. Tank sludge and rinseate waste is hazardous waste and must also be transported for final disposal under a manifest. All manifests and/or other required documentation must be submitted to KCEHS within 30 days of tank removal/abandonment. Provide the contact names, addresses and phone numbers for each service provider.

4. What soil and/or groundwater sampling procedures be implemented for collection from all required sampling points (ex: hand-auger, backhoe, excavator)? Sampling shall be performed under the direction of the Department.

5. If traffic control and security is necessary at the facility, identify how this will be accomplished.



Rose Mary Rahn
Director

Milton Teske, M.D.
Health Officer

To promote and protect the health and well-being of Kings County residents through education, prevention, and intervention.



USA Alert must be contacted prior to beginning any tank removal or abandonment activity.

The following information must be provided:

1. Location of the tanks, piping, dispensers, and vents. Include lengths and dimensions.
2. Proposed sampling locations and indicate those locations.
3. Identify roads, buildings, and/or other pertinent information such as utility lines.
4. A separate drawing or site map may be utilized in lieu of this map with the understanding that it must be attached.

North ↑	SITE MAP

Facility Owner/ UST Contractor Signature	(Print Name)	Date:

For DEHS use only. Please do not write in this section.

Authority to abandon is approved with the following conditions:

Authority to abandon is denied for the reason(s) listed below:

Fire Dept. notify by: _____ Date: _____

Signature: _____ Date: _____

H:\AWEHS\FORMS\APPLICATIONS\Plan Checks\UST Removal Application Final 7/26/2023