



County of Kings - Department of Public Health

Environmental Health Services Division

330 Campus Drive Hanford, CA 93230

Phone - 559-584-1411 Fax - 559-584-6040

Internet - www.countyofkings.com/ehs

FOOD SAFETY EVALUATION REPORT

<b>FACILITY NAME:</b> HANFORD APOSTOLIC ASSEMBLY CHURCH	<b>BUSINESS PHONE:</b> (559) 303-2626	<b>RECORD ID#:</b> PR0007153	<b>DATE:</b> December 12, 2016
<b>FACILITY SITE ADDRESS:</b> 223 E NINTH ST	<b>CITY:</b> HANFORD	<b>ZIP CODE:</b> 93230	<b>INSPECTION TYPE:</b> ROUTINE INSPECTION
<b>OWNER NAME:</b> PASTOR SAMUEL DELGADO	<b>CERTIFIED FOOD MANAGER:</b> Not Specified	<b>EXP DATE:</b>	<b>INSPECTOR:</b> Liliana Stransky - REHS

The items (if any) listed below identify the violation(s) that must be corrected. Thank you for your cooperation.  
One reinspection will be conducted (if needed) at no charge. A service fee is assessed for each additional reinspection required.

Violation: None Noted

General Comments:

According to Pastor Samuel Delgado, an arson incident that occurred on November 17, 2016, destroyed the church. The building will have to be torn down and rebuilt before it can be occupied again. Pastor Delgado stated they are not expecting to rebuild or reopen anytime soon, but he will contact the office to inform us of their decision to rebuild.

The facility will be closed and a copy of the report will be mailed to Pastor Delgado for his records.

RESULTS OF EVALUATION:  PASS  NEEDS IMPROVEMENT  FAIL

Reinspection Required: Yes:  No:

Reinspection Date (on or after): N/A

Potential Food Safety All Star:

*mail copy of report*

Received By:

Liliana Stransky - REHS

Agency Representative

NOTE: This report must be made available to the public on request



County of Kings - Department of Public Health

Environmental Health Services Division

330 Campus Drive Hanford, CA 93230

Phone - 559-584-1411 Fax - 559-584-6040

Internet - www.countyofkings.com/ehs

FOOD SAFETY EVALUATION REPORT

<b>FACILITY NAME:</b> HANFORD APOSTOLIC ASSEMBLY CHURCH	<b>BUSINESS PHONE:</b> (559) 303-2626	<b>RECORD ID#:</b> PR0007153	<b>DATE:</b> December 18, 2015
<b>FACILITY SITE ADDRESS:</b> 223 E NINTH ST	<b>CITY:</b> HANFORD	<b>ZIP CODE:</b> 93230	<b>INSPECTION TYPE:</b> ROUTINE INSPECTION
<b>OWNER NAME:</b> PASTOR FELIX LUNA	<b>CERTIFIED FOOD HANDLER:</b> Not Specified	<b>EXP DATE:</b>	<b>INSPECTOR:</b> Liliana Stransky - REHS

The items (if any) listed below identify the violation(s) that must be corrected. Thank you for your cooperation.  
One reinspection will be conducted (if needed) at no charge. A service fee is assessed for each additional reinspection required.

Violation: None Noted

General Comments:

Observed refrigerator at 32F.  
Hand washing station had soap and paper towels.  
The restroom facilities were noted clean and well stocked.  
Overall the facility was noted very clean, organized and well maintained.

Thank you!

RESULTS OF EVALUATION:  PASS  NEEDS IMPROVEMENT  FAIL

Reinspection Required: Yes:  No:

Reinspection Date (on or after): N/A

Potential Food Safety All Star:

Received By:

Liliana Stransky - REHS

Agency Representative

NOTE: This report must be made available to the public on request



County of Kings - Department of Public Health

Environmental Health Services Division

330 Campus Drive Hanford, CA 93230

Phone - 559-584-1411 Fax - 559-584-6040

Internet - www.countyofkings.com/health/ehs

FOOD SAFETY EVALUATION REPORT

<b>FACILITY NAME:</b> HANFORD APOSTOLIC ASSEMBLY CHURCH	<b>BUSINESS PHONE:</b> (559) 303-2626	<b>RECORD ID#:</b> PR0007153	<b>DATE:</b> January 09, 2015
<b>FACILITY SITE ADDRESS:</b> 223 E NINTH ST	<b>CITY:</b> HANFORD	<b>ZIP CODE:</b> 93230	<b>INSPECTION TYPE:</b> ROUTINE INSPECTION
<b>OWNER NAME:</b> PASTOR FELIX LUNA	<b>CERTIFIED FOOD HANDLER:</b> Not Specified	<b>EXP DATE:</b>	<b>INSPECTOR:</b> Kimberly Schneider

The items (if any) listed below identify the violation(s) that must be corrected. Thank you for your cooperation.  
One reinspection will be conducted (if needed) at no charge. A service fee is assessed for each additional reinspection required.

**Violation:** IMPROPER MAINTENANCE OF FACILITY OR EQUIPMENT [HSC 114161-114182 & 114257]

**Description/Corrective Action:** Observed toilets not secure to floor in both mens and womens restroom. Please fix.

**General Comments:**

Cold holding noted at 41° F and below.

Restroom fully stocked and functional.

Hand sink stocked with soap, paper towels and hot water.

Overall, facility was clean at time of inspection.

**RESULTS OF EVALUATION:**  PASS  NEEDS IMPROVEMENT  FAIL

**Reinspection Required:** Yes:  No:

**Reinspection Date (on or after):** N/A

Potential Food Safety All Star:

Received By:

Kimberly Schneider

Agency Representative

NOTE: This report must be made available to the public on request